

09525741 CLS.txt

Most Frequently Occurring Classifications of Patents Returned
From A Search of 09525741 on February 01, 2001

Original Classifications

6	49/477.1
3	180/273
2	5/600
2	5/617
2	5/713
2	60/668
2	123/254
2	280/86.5
2	366/139
2	435/194
2	514/180

Cross-Reference Classifications

3	92/137
3	92/34
3	280/735
2	5/507.1
2	5/610
2	5/611
2	60/698
2	104/292
2	177/144
2	180/305
2	180/65.3
2	188/312
2	188/322.22
2	366/142
2	366/310
2	366/325.94
2	366/601
2	601/149
2	601/55

Combined Classifications

6	49/477.1
4	180/273
4	280/735
3	5/610
3	5/713
3	92/137
3	92/34
3	180/305
2	5/507.1

09525741_CLS.txt

2 5/600
2 5/611
2 5/617
2 5/624
2 60/668
2 60/698
2 104/292
2 104/89
2 123/254
2 177/144
2 180/65.3
2 188/312
2 188/322.22
2 280/86.5
2 366/139
2 366/142
2 366/310
2 366/325.94
2 366/601
2 404/11
2 435/194
2 514/180
2 601/149
2 601/55

Titles of Most Frequently Occurring Classifications of Patents Returned

From A Search of 09525741 on February 01, 2001

6	49/477.1	(6 OR, 0 XR)
	Class 049 :	MOVABLE OR REMOVABLE CLOSURES
	49/475.1	CLOSURE SEAL; E.G., STRIKER GASKET OR WEATHERSTRIP
	49/477.1	.Inflatable or fluid pressure responsive
4	180/273	(3 OR, 1 XR)
	Class 180 :	MOTOR VEHICLES
	180/271	WITH MEANS FOR PROMOTING SAFETY OF VEHICLE, IT
		OCCUPANT OR LOAD, OR AN EXTERNAL OBJECT
	180/272	.Responsive to absence or inattention of operator, or negatively reactive to attempt to operate vehicle by person not qualified mentally or physically to do so
	180/273	..Utilizing weight, or lack thereof, of operator on seat or other support to determine presence or absence
4	280/735	(1 OR, 3 XR)
	Class 280 :	LAND VEHICLES
	280/29	WHEELED
	280/727	.Attachment
	280/728.1	..Inflatable passenger restraint or confinement (e.g., air bag) or attachment
	280/734	...Responsive to vehicle condition
	280/735Electric control and/or sensor means
3	5/610	(1 OR, 2 XR)
	Class 005 :	BEDS
	5/600	INVALID BED OR SURGICAL SUPPORT
	5/610	.Tiltable along a transverse axis
3	5/713	(2 OR, 1 XR)
	Class 005 :	BEDS
	5/690	MATTRESS (FOR WHOLE BODY)
	5/706	.Having confined gas (e.g., air mattress)

5/713 ..Variably pressurizable chambers (e.g., with pump)

3 92/137 (0 OR, 3 XR)
 Class 092 : EXPANSIBLE CHAMBER DEVICES
 92/137 WITH FLEXIBLE TRANSMISSION ELEMENT SECURED TO WORKING MEMBER

3 92/34 (0 OR, 3 XR)
 Class 092 : EXPANSIBLE CHAMBER DEVICES
 92/34 BELLOWS TYPE EXPANSIBLE CHAMBER

3 180/305 (1 OR, 2 XR)
 Class 180 : MOTOR VEHICLES
 180/54.1 POWER
 180/305 .Including traction motor of kind driven by noncompressible fluid received under pressure from a pump

2 5/507.1 (0 OR, 2 XR)
 Class 005 : BEDS
 5/503.1 RECEPTACLE OR SUPPORT FOR USE WITH BED
 5/507.1 .Planar support (e.g., table, step, etc.)

2 5/600 (2 OR, 0 XR)
 Class 005 : BEDS
 5/600 INVALID BED OR SURGICAL SUPPORT

2 5/611 (0 OR, 2 XR)
 Class 005 : BEDS
 5/600 INVALID BED OR SURGICAL SUPPORT
 5/611 .Vertically movable support for whole body of user

2 5/617 (2 OR, 0 XR)
 Class 005 : BEDS
 5/600 INVALID BED OR SURGICAL SUPPORT
 5/613 .Sectional user supporting surface
 5/617 ..Upper body portions of user supported by adjustable section

2 5/624 (1 OR, 1 XR)
 Class 005 : BEDS
 5/600 INVALID BED OR SURGICAL SUPPORT
 5/621 .With body member support or restrainer
 5/624 ..Lower body portion

09525741_CLSTITLES.txt

2 60/668 (2 OR, 0 XR)
 Class 060 : POWER PLANTS
 60/643 MOTIVE FLUID ENERGIZED BY EXTERNALLY APPLIED
 HEAT
 60/668 .Power system physically related to vehicle
 structure

2 60/698 (0 OR, 2 XR)
 Class 060 : POWER PLANTS
 60/698 SYSTEM HAVING PLURAL MOTORS OR HAVING DIVERSE
 TYPES OF ENERGY INPUT

2 104/292 (0 OR, 2 XR)
 Class 104 : RAILWAYS
 104/287 CAR-CARRIED PROPULSION SYSTEM
 104/288 .Electric
 104/290 ..Linear motor
 104/292 ...Propulsion by active guideway; e.g., linear
 synchronous motor, etc.

2 104/89 (1 OR, 1 XR)
 Class 104 : RAILWAYS
 104/89 SUSPENDED

2 123/254 (2 OR, 0 XR)
 Class 123 : INTERNAL-COMBUSTION ENGINES
 123/253 PRECOMBUSTION AND MAIN COMBUSTION CHAMBERS IN
 SERIES
 123/254 .Chamber temperature control means

2 177/144 (0 OR, 2 XR)
 Class 177 : WEIGHING SCALES
 177/132 STRUCTURAL INSTALLATION
 177/144 .Furniture or room fixture

2 180/65.3 (0 OR, 2 XR)
 Class 180 : MOTOR VEHICLES
 180/54.1 POWER
 180/65.1 .Electric
 180/65.3 ..With means on vehicle for generating power
 for the electric motor

2 188/312 (0 OR, 2 XR)
 Class 188 : BRAKES
 188/266 INTERNAL-RESISTANCE MOTION RETARDER
 188/297 .Having a thrust member with a variable volume
 chamber (e.g., coaxial or telescoping tube

s,
compensating

```

                reservoir)
188/312          ..Having piston rod extending through ends of
                chamber

2  188/322.22    (0 OR, 2 XR)
    Class 188 :  BRAKES
188/266          INTERNAL-RESISTANCE MOTION RETARDER
188/322.22      .Thrust member or piston structure

2  280/86.5      (2 OR, 0 XR)
    Class 280 :  LAND VEHICLES
280/29           WHEELED
280/80.1         .Running gear
280/86.5         ..Auxiliary axle assembly (e.g., lift or tag
                axle)

2  366/139       (2 OR, 0 XR)
    Class 366 :  AGITATING
366/139          IN VACUUM CHAMBER

2  366/142       (0 OR, 2 XR)
    Class 366 :  AGITATING
366/142          WITH TEST, SIGNAL, OR INDICATOR MEANS

2  366/310       (0 OR, 2 XR)
    Class 366 :  AGITATING
366/241          STIRRER WITHIN STATIONARY MIXING CHAMBER
366/279          .Rotatable stirrer
366/309          ..Including scraper, wiper, or brush
366/310          ...Helical type

2  366/325.94    (0 OR, 2 XR)
    Class 366 :  AGITATING
366/241          STIRRER WITHIN STATIONARY MIXING CHAMBER
366/279          .Rotatable stirrer
366/325.1        ..Relatively fixed plural elements
366/325.94       ...Openwork having substantially no central
                shaft

2  366/601       (0 OR, 2 XR)
    Class 366 :  AGITATING
366/601          MOTOR CONTROL

2  404/11        (1 OR, 1 XR)
    Class 404 :  ROAD STRUCTURE, PROCESS, OR APPARATUS
404/9            TRAFFIC DIRECTOR

```

09525741_CLSTITLES.txt

404/10

.Yielding

404/11

..Distinct biasing means recessed in roadway

2 435/194 (2 OR, 0 XR)

Class 435 : CHEMISTRY: MOLECULAR BIOLOGY AND MICROBIOLOGY

435/183

ENZYME (E.G., LIGASES (6.), ETC.), PROENZYME;
COMPOSITIONS THEREOF; PROCESS FOR PREPARI

NG,
ACTIVATING,

INHIBITING, SEPARATING, OR PURIFYING ENZY

MES

435/193

.Transferase other than ribonuclease (2.)

435/194

..Transferring phosphorus containing group
(e.g., kineases, etc.(2.7))

2 514/180 (2 OR, 0 XR)

Class 514 : DRUG, BIO-AFFECTING AND BODY TREATING
COMPOSITIONS

514/1

DESIGNATED ORGANIC ACTIVE INGREDIENT CONTAININ

G

(DOAI)

514/169

.Cyclopentanohydrophenanthrene ring system DOA

I

514/177

..Oxygen double bonded to a ring carbon of the
cyclopentanohydrophenanthrene ring syste

m

514/178

...Oxygen single bonded to a ring carbon of th
cyclopentanohydrophenanthrene ring system

e

514/179

....Modified C-ring (except methyl in
13-position) (e.g., double bond containing

,
substituted,

etc.)

514/180

.....9-position substituted

2 601/149 (0 OR, 2 XR)

Class 601 : SURGERY: KINESITHERAPY

601/1

KINESITHERAPY

601/84

.Device with applicator having specific
movement

601/148

..Flexible membrane caused to move by fluid
pressure

601/149

...For applying pulsating or sequential
pressure

09525741_CLSTITLES.txt

```
2 601/55      (0 OR, 2 XR)
    Class    601 : SURGERY: KINESITHERAPY
    601/1      KINESITHERAPY
    601/46      .Vibrator
    601/49      ..Couch, chair, or body support
    601/55      ...Fluid
```




(7) 4159830.URPN.

(0) 6182987.URPN.

Search List Browse Queue Clear

BRS form

ISR form

Image

Text

	U	1	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	
40	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4413443	19831108	5	Spring powered toy vehicle - has ring with				I
41	<input type="checkbox"/>	<input checked="" type="checkbox"/>	WO 7900411	19790712	21	Heavy duty vehicle suspension air spring -				I
42	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4890823	19900102	7	Reciprocal, gas spring bellows support piston				I
43	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5127641	19920707	7	Air spring with tubular elastomer roll				I
44	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3913940	19751021	9	Vehicle suspensions	280/683	280/124.10		B
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4029305	19770614	10	Pneumatic vibration isolator and suspension	267/64.23	105/198.1		J
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5060916	19911029	10	Plunger piston system	267/64.27	267/122		S
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5364086	19941115	16	Composite elastomeric air spring and sealing	267/140.4	248/562		K
48	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5234203	19930810	14	Pneumatic spring for a vehicle seat	267/131	248/631		H
49	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4109925	19780829	6	Skateboard chassis	280/11.28			P
50	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5927734	19990727	12	Scooter	280/87.042	280/11.2		H
51	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3599954	19710817	5	COMPOUND VACUUM SPRING	267/44	267/34		N
52	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5921532	19990713	26	Air spring with internal support member	267/64.19	267/64.27		Y
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5382006	19950117	5	Airspring piston and airspring assembly	267/64.27	267/64.21		P
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5201500	19930413	8	Snap-on bumper for air spring	267/140	267/136		A
55	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4787606	19881129	8	Beadless air spring	267/64.27	267/64.24		E

Hits Details

Ready

NUM



initially :



1000

Age

Abstract

—P. 100—

1

[illegible]

1

1000

NUM